Paper for Consideration by S-104PT/S-111PT

S100_DatasetDiscoveryMetadata attributes replacedData and dataReplacement Conditional mandatory proposal

Submitted by:	PRIMAR				
Executive Summary:	The intended use of the metadata attributes replacedData and dataReplacement is clarified at S-100 level. There is a need for defining a conditional mandatory implementation of the attributes in the S-104 and S-111 Product Specification.				
Related Documents:	S-100 5.1.0 Part 17 S-104 1.1.0 S-111 1.2.0				
Related Projects:					

Introduction / Background

PRIMAR is preparing for the S-100 future developing services supporting S-100 product distribution. The PRIMAR S-100 service already has S-102 and S-111 products available.

A future S-100 product (E.g., S-104/S-111) provision service to the end users is designed as a service granting access to a product for a certain period of time and is never provided as a one-time purchase. It is very important to have a mechanism in the S-104/S-111 Product Specification for the S-104/S-111 service provision continuity. The lack of this mechanism today causes the need for unnecessary and time-consuming manual operations at the RENC level. With S-100 5.1.0 this mechanism is now available.

This paper proposes to mandate the use of this mechanism to ensure a continued, and more automated, customer friendly S-104/S-111 service.

Analysis/Discussion

In a service like the one provided by PRIMAR, end users are purchasing access to a product for a specific time period. We call this a subscription period. Currently we provide the option to subscribe to an S-111 product for a period of 3-, 6-, 9- or 12-months.

When a customer purchases a product, he expects to have access during the entire subscription period. Data producers sometimes cancel a product. Due to internal processes, they may want to replace an existing dataset with a new one. In those situations, it is important that the end user already subscribing to the cancelled product can get access to the new one for the remaining time of the subscription period. PRIMAR grants this access on behalf of the data producer (based upon an agreement between PRIMAR and the data producer).

Currently, due to the lack of standardized mechanisms, this process is very much manually operated and requires unnecessary and time-consuming work effort both at the data producer and at the RENC level. The producing authority carries responsibility to plan the service provision and continuity of their products in the service and should be positive to make use of an automated and less resource demanding approach.

With the new S-100 5.1.0 standard it is now possible to define this information at the production level by using the S-104/S-111_DatasetDiscoveryMetadata attributes replacedData and dataReplacement:

Attribute	replacedData	Indicates if a cancelled dataset is replaced by another data file(s)	01	Boolean	See Note
Attribute	dataReplacement	Datasetname	0*	CharacterString	A dataset may be replaced by 1 or more datasets See Note
Attribute	navigationPurpose	Classification of intended navigation purpose (for Catalogue indexing purposes)	03	S100_NavigationPurpose	If Product Specification is intended for creation of navigational products this attribute should be mandatory
Role	resourceMaintenance	Information about the frequency of resource updates, and the scope of those updates	01	MD_MaintenanceInformation	S-100 restricts the multiplicity to 01 and adds specific restrictions on the IS 19115 structure and content. See clause MD_MaintenanceInformation later in this Part
					Format: PnYnMnDTnHnMnS (XML bui in type for ISO 8601 <i>duration</i>). See clause 17-4.9

NOTE: replacedData and dataReplacement: The intended use of the attributes replacedData and dataReplacement could be, for example, to provide a mechanism for service providers to build automation when providing replacement data sets to customers within existing subscription periods.

The encoding of those attributes must be conditionally based, only to be encoded when an S-104/S-111 product is cancelled. To ensure an efficient and consistent encoding across different producers, the encoding of those attributes must be conditionally mandated in the product specification. We propose to implement the mandate of those attributes based on the following conditions:

- 1. When the datasets S100_DatasetDiscoveryMetadata attribute <u>purpose</u> (S100_Purpose) is encoded as <u>5</u> (<u>cancellation</u>), then the attribute <u>replacedData</u> becomes mandatory.
- 2. When the S100_DatasetDiscoveryMetadata attribute <u>replacedData</u> is populated as <u>True</u>, then the attribute <u>dataReplacement becomes mandatory</u>, and must include at least one, real dataset name entry issued by an authorized S-104/S-111 Producer and made available for the service).

This logic is already supported by both S-104 1.1.0 and S-111 1.2.0 in chapters 7.2.1, 8.2.4.1 and 8.4.2.2. The proposed changes will ensure this is also captured in the DatasetDiscoveryMetadata.

It is proposed to change the S-104/S-111_DatasetDiscoveryMetadata attributes replacedData and dataReplacement accordingly (changes in Descriptions and Remarks column are copied from S-100 5.1.0):

Attribute	replacedData	If a data file is cancelled is it replaced by another data file Indicates if a cancelled dataset is replaced by another data file(s)	01	Boolean	See Note
Attribute	dataReplacement	Cell Dataset name	0*	CharacterString	A dataset may be replaced by 1 or more datasets See Note
Attribute	navigationPurpose	Classification of intended navigation purpose (for Catalogue indexing purposes)	03	S100_NavigationPurpose	Mandatory when notForNavigation = false.
Role	resourceMaintenance	Information about the frequency of resource updates, and the scope of those updates	01	MD_MaintenanceInformation	S-100 restricts the multiplicity to <u>0.,1</u> and adds specific restrictions on the ISO 19115 structure and content. See clause <u>MD_MaintenanceInformation</u> in S-100 Part 17. Format: <u>PnYnMnDTnHnMnS</u> (XML built-in type for ISO 8601 duration). See S-100 clause 17-4.9 for encoding guidance. If present, the duration must match the duration encoded in embedded metadata (Table 12.1).

(The proposed change reflects the similar change done to S-101 1.2.0 and S-102 2.3.0)

Several use cases from our existing S-57 service demonstrate situations where cancelation and replacement ENCs impact more than one ENC Producer.

When populating replacedData = True, and the dataset name in the attribute dataReplacement includes a producer code different than the producer code of the cancellation dataset, it is implied that the producer of the cancellation dataset has legal agreements with the replacement products producer to mandate free use of the replacement dataset throughout the remaining subscription period. At the RENC level a check could be implemented to discover those situations to ensure sufficient agreements exist.

Conclusions

- The S100_DatasetDiscoveryMetadata attributes <u>replacedData</u> and <u>dataReplacement</u> in the S-104/S-111 product Specification must be conditional mandatory for the S-104/S-111 cancellation datasets.
 - When the datasets S100_DatasetDiscoveryMetadata attribute <u>purpose</u> (S100_Purpose) is encoded as <u>5</u> (<u>cancellation</u>), <u>then</u> the attribute <u>replacedData becomes mandatory</u>.
 - When the S100_DatasetDiscoveryMetadata attribute <u>replacedData</u> is populated as <u>True</u>, then the attribute <u>dataReplacement becomes mandatory</u>, and must include at least one, real dataset name entry - issued by an authorized S-104/S-111 Producer and made available for the service.
- By encoding <u>replacedData = **True**</u> the producer of the cancellation dataset grants usage of the replacement dataset for free until the end of a customer's subscription period.

Actions Required of S-104PT and S-111PT:

S-104PT and S-111PT is invited to: Note the paper and discuss proposed changes.